



# DESIRE POWER CO., LIMITED

## Specifications of High Rate Discharge (15C-33C) Series Batteries (Li-Polymer)

Item	Model Number	Typical Capacity (mAh)	Typical Voltage (V)	Dimensions			Approx Weight (g)	Max Discharge Data			Discharge & Charge connector		Unit Price (EUR) FOB HK
				T ±0.5 mm	W ±1.0 mm	L ±2.0 mm		Continuous Discharge Current	Burst Discharge Current	Cut-off Voltage (V)	Discharge silicon wire	Balance Charge connector	
1	DP800P15-1S	800	3,7	5,8	25	66	17,0	15C(12.0A)	25C(20.0A)	2,75			3,82
2	DP800P15-2S	800	7,4	12,0	25	75	39,0	15C(12.0A)	25C(20.0A)	5,5	UL3123 AWG22	as per order	8,39
3	DP800P15-3S	800	11,1	18,0	25	75	58,0	15C(12.0A)	25C(20.0A)	8,25	UL3123 AWG22	as per order	12,43
4	DP850P15-1S	850	3,7	6,5	30	48	19,5	15C(12.75A)	25C(21.25A)	2,75			3,99
5	DP850P15-2S	850	7,4	14,0	30	56	43,0	15C(12.75A)	25C(21.25A)	5,5	UL3123 AWG22	as per order	8,74
6	DP850P15-3S	850	11,1	21,0	30	56	64,0	15C(12.75A)	25C(21.25A)	8,25	UL3123 AWG22	as per order	13,12
7	DP900P15-1S	900	3,7	6,5	34	50	20,0	15C(13.5A)	25C(22.5A)	2,75			4,24
8	DP900P15-2S	900	7,4	13,0	34	58	44,0	15C(13.5A)	25C(22.5A)	5,5	UL3123 AWG22	as per order	9,19
9	DP900P15-3S	900	11,1	20,0	34	58	66,0	15C(13.5A)	25C(22.5A)	8,25	UL3123 AWG22	as per order	13,81
10	DP1100P15-1S	1100	3,7	6,0	20	122	25,7	15C(16.5A)	25C(27.5A)	2,75			5,21
11	DP1100P15-2S	1100	7,4	13,0	20	130	57,5	15C(16.5A)	25C(27.5A)	5,5	UL3123 AWG22	as per order	11,24
12	DP1100P15-3P	1100	11,1	20,0	20	130	83,5	15C(16.5A)	25C(27.5A)	8,25	UL3123 AWG22	as per order	16,84
13	DP1300P15-1S	1300	3,7	6,0	34	65	30,0	15C(19.5A)	25C(32.5A)	2,75			5,45
14	DP1300P15-2S	1300	7,4	13,0	34	73	65,0	15C(19.5A)	25C(32.5A)	5,5	UL3123 AWG16	as per order	11,63
15	DP1300P15-3S	1300	11,1	20,0	34	73	97,0	15C(19.5A)	25C(32.5A)	8,25	UL3123 AWG16	as per order	17,47
16	DP1500P15-1S	1500	3,7	5,0	34	96	35,0	15C(22.5A)	25C(37.5A)	2,75			6,26
17	DP1500P15-2S	1500	7,4	11,0	34	104	76,0	15C(22.5A)	25C(37.5A)	5,5	UL3123 AWG16	as per order	13,24
18	DP1500P15-3S	1500	11,1	17,0	34	104	113,0	15C(22.5A)	25C(37.5A)	8,25	UL3123 AWG16	as per order	19,89

19	DP2200P15-1S	2200	3,7	6,5	34	96	46,0	15C(33.0A)	25C(55.0A)	2,75			9,07
20	DP2200P15-2S	2200	7,4	14,0	34	104	98,0	15C(33.0A)	25C(55.0A)	5,5	UL3123 AWG14	as per order	18,96
21	DP2200P15-3S	2200	11,1	21,0	34	104	145,0	15C(33.0A)	25C(55.0A)	8,25	UL3123 AWG14	as per order	28,45
22	DP2200P15-4S	2200	14,8	29,0	34	104	192,0	15C(33.0A)	25C(55.0A)	11	UL3123 AWG14	as per order	37,95
23	DP2200P15-5S	2200	18,5	36,0	34	104	237,0	15C(33.0A)	25C(55.0A)	13,75	UL3123 AWG14	as per order	47,41
24	DP1000HP22-1S	1000	3,7	5,5	34	65	26,0	22C(22.0A)	40C(40.0A)	2,75			4,77
25	DP1000HP22-2S	1000	7,4	11,0	34	73	56,0	22C(22.0A)	40C(40.0A)	5,5	UL3123 AWG16	as per order	10,31
26	DP1000HP22-3S	1000	11,1	17,0	34	73	83,0	22C(22.0A)	40C(40.0A)	8,25	UL3123 AWG16	as per order	15,44
27	DP1300HP22-1S	1300	3,7	6,3	34	65	28,0	22C(28.6A)	40C(52.0A)	2,75			6,17
28	DP1300HP22-2S	1300	7,4	13,0	34	73	62,0	22C(28.6A)	40C(52.0A)	5,5	UL3123 AWG16	as per order	13,06
29	DP1300HP22-3S	1300	11,1	21,0	34	73	91,0	22C(28.6A)	40C(52.0A)	8,25	UL3123 AWG16	as per order	19,57
30	DP1500HP22-1S	1500	3,7	6,0	34	80	38,0	22C(33.0A)	40C(60.0A)	2,75			7,09
31	DP1500HP22-2S	1500	7,4	12,0	34	88	82,0	22C(33.0A)	40C(60.0A)	5,5	UL3123 AWG14	as per order	14,91
32	DP1500HP22-3S	1500	11,1	18,0	34	88	122,0	22C(33.0A)	40C(60.0A)	8,25	UL3123 AWG14	as per order	22,34
33	DP1500HP22-4S	1500	14,8	25,0	34	88	161,0	22C(33.0A)	40C(60.0A)	11	UL3123 AWG14	as per order	29,79
34	DP1800HP22-1S	1800	3,7	6,0	34	96	41,0	22C(39.6A)	40C(72.0A)	2,75			8,43
35	DP1800HP22-2S	1800	7,4	12,0	34	104	88,0	22C(39.6A)	40C(72.0A)	5,5	UL3123 AWG14	as per order	17,67
36	DP1800HP22-3S	1800	11,1	18,0	34	104	130,0	22C(39.6A)	40C(72.0A)	8,25	UL3123 AWG14	as per order	26,48
37	DP1800HP22-4S	1800	14,8	25,0	34	104	172,0	22C(39.6A)	40C(72.0A)	11	UL3123 AWG14	as per order	35,31
38	DP2000HP22-1S	2000	3,7	8,5	43	68	47,0	22C(44.0A)	40C(80.0A)	2,75			9,37
39	DP2000HP22-2S	2000	7,4	17,0	43	76	100,0	22C(44.0A)	40C(80.0A)	5,5	UL3123 AWG14	as per order	19,51
40	DP2000HP22-3S	2000	11,1	26,0	43	76	148,0	22C(44.0A)	40C(80.0A)	8,25	UL3123 AWG14	as per order	29,25
41	DP2000HP22-4S	2000	14,8	35,0	43	76	196,0	22C(44.0A)	40C(80.0A)	11	UL3123 AWG14	as per order	38,99
42	DP2000HP22-5S	2000	18,5	44,0	43	76	244,0	22C(44.0A)	40C(80.0A)	13,75	UL3123 AWG14	as per order	48,73
43	DP2000HP22-2S3P	6000	7,4	53,0	43	76	292,0	22C(132.0A)	30C(180.0A)	5,5	UL3123 AWG14	as per order	60,66
44	DP2000HP22-2S2P	4000	11,1	53,0	43	76	292,0	22C(88.0A)	30C(120.0A)	8,25	UL3123 AWG14	as per order	60,66
45	DP2200HP22-1S	2200	3,7	7,0	34	96	49,0	22C(48.4A)	40C(88.0A)	2,75			10,31
46	DP2200HP22-2S	2200	7,4	14,0	34	104	104,0	22C(48.4A)	40C(88.0A)	5,5	UL3123 AWG14	as per order	21,32

47	DP2200HP22-3S	2200	11,1	22,0	34	104	153,0	22 C(48.4 A)	40C(88.0A)	8,25	UL3123 AWG14	as per order	32,02
48	DP2200HP22-4S	2200	14,8	30,0	34	104	203,0	22 C(48.4 A)	40C(88.0A)	11	UL3123 AWG14	as per order	42,67
49	DP2200HP22-5S	2200	18,5	38,0	34	104	252,0	22 C(48.4 A)	40C(88.0A)	13,75	UL3123 AWG14	as per order	53,33
50	DP2200HP22-6S	2200	22,2	46,0	34	104	302,0	22 C(48.4 A)	40C(88.0A)	16,5	UL3123 AWG14	as per order	66,21
51	DP2500HP22-1S	2500	3,7	8,0	34	96	63,0	22 C(55.0A)	40C(100.0A)	2,75			15,06
52	DP2500HP22-2S	2500	7,4	16,0	34	104	133,0	22 C(55.0A)	40C(100.0A)	5,5	UL3123 AWG14	as per order	30,91
53	DP2500HP22-3S	2500	11,1	25,0	34	104	198,0	22 C(55.0A)	40C(100.0A)	8,25	UL3123 AWG14	as per order	46,33
54	DP2500HP22-4S	2500	14,8	34,0	34	104	263,0	22 C(55.0A)	40C(100.0A)	11	UL3123 AWG14	as per order	61,78
55	DP2500HP22-5S	2500	18,5	43,0	34	104	327,0	22 C(55.0A)	40C(100.0A)	13,75	UL3123 AWG14	as per order	77,52
56	DP2500HP22-6S	2500	22,2	51,0	34	104	392,0	22 C(55.0A)	40C(100.0A)	16,5	UL3123 AWG14	as per order	94,04
57	DP3300HP22-1S	3300	3,7	5,8	43	128	74,0	22 C(72.6 A)	40C(132.0A)	2,75			19,84
58	DP3300HP22-2S	3300	7,4	12,8	43	136	158,0	22 C(72.6 A)	40C(132.0A)	5,5	UL3123 AWG12	as per order	40,41
59	DP3300HP22-3S	3300	11,1	19,0	43	136	234,0	22 C(72.6 A)	40C(132.0A)	8,25	UL3123 AWG12	as per order	60,61
60	DP3300HP22-4S	3300	14,8	25,0	43	136	310,0	22 C(72.6 A)	40C(132.0A)	11	UL3123 AWG12	as per order	80,79
61	DP3300HP22-5S	3300	18,5	32,0	43	136	386,0	22 C(72.6 A)	40C(132.0A)	13,75	UL3123 AWG12	as per order	100,99
62	DP3300HP22-6S	3300	22,2	40,0	43	136	462,0	22 C(72.6 A)	40C(132.0A)	16,5	UL3123 AWG12	as per order	121,19
63	DP3700HP22-1S	3700	3,7	6,8	43	128	84,0	22 C(81.4 A)	40C(148.0A)	2,75			22,21
64	DP3700HP22-2S	3700	7,4	14,0	43	136	178,0	22 C(81.4 A)	40C(148.0A)	5,5	UL3123 AWG12	as per order	45,15
65	DP3700HP22-3S	3700	11,1	22,0	43	136	262,0	22 C(81.4 A)	40C(148.0A)	8,25	UL3123 AWG12	as per order	67,72
66	DP3700HP22-4S	3700	14,8	30,0	43	136	349,0	22 C(81.4 A)	40C(148.0A)	11	UL3123 AWG12	as per order	90,31
67	DP3700HP22-5S	3700	18,5	38,0	43	136	438,0	22 C(81.4 A)	40C(148.0A)	13,75	UL3123 AWG12	as per order	112,88
68	DP3700HP22-6S	3700	22,2	46,0	43	136	525,0	22 C(81.4 A)	40C(148.0A)	16,5	UL3123 AWG12	as per order	135,44
69	DP4200HP22-1S	4200	3,7	7,8	43	128	95,0	22 C(92.4 A)	40C(168.0A)	2,75			29,01
70	DP4200HP22-2S	4200	7,4	17,0	43	136	198,0	22 C(92.4 A)	40C(168.0A)	5,5	UL3123 AWG12	as per order	59,18
71	DP4200HP22-3S	4200	11,1	24,0	43	136	296,0	22 C(92.4 A)	40C(168.0A)	8,25	UL3123 AWG12	as per order	87,88
72	DP4200HP22-4S	4200	14,8	33,0	43	136	394,0	22 C(92.4 A)	40C(168.0A)	11	UL3123 AWG12	as per order	117,14
73	DP4200HP22-5S	4200	18,5	42,0	43	136	492,0	22 C(92.4 A)	40C(168.0A)	13,75	UL3123 AWG12	as per order	147,04

74	DP4200HP22-6S	4200	22,2	50,0	43	136	588,0	22C(92.4A)	40C(168.0A)	16,5	UL3123 AWG12	as per order	176,92
75	DP6000HP22-1S	6000	3,7	10,3	44	150	143,0	22C(132.0)	40C(240.0A)	2,75			47,31
76	DP6000HP22-2S	6000	7,4	22,0	44	168	291,0	22C(132.0)	40C(240.0A)	5,5	UL3123 AWG10	as per order	95,81
77	DP6000HP22-3S	6000	11,1	31,0	44	168	438,0	22C(132.0)	40C(240.0A)	8,25	UL3123 AWG10	as per order	143,75
78	DP6000HP22-4S	6000	14,8	42,0	44	168	582,0	22C(132.0)	40C(240.0A)	11	UL3123 AWG10	as per order	192,91
79	DP6000HP22-5S	6000	18,5	53,0	44	168	725,0	22C(132.0)	40C(240.0A)	13,75	UL3123 AWG10	as per order	240,97
80	DP6000HP22-6S	6000	22,2	64,0	44	168	869,0	22C(132.0)	40C(240.0A)	16,5	UL3123 AWG10	as per order	289,21
81	DP360SP25-1S	360	3,7	3,8	30	48	9,0	25C(9.0A)	50C(18.0A)	2,75			3,18
82	DP360SP25-2S	360	7,4	8,0	30	56	22,0	25C(9.0A)	50C(18.0A)	5,5	UL3123 AWG20	as per order	7,11
83	DP360SP25-3S	360	11,1	12,0	30	56	32,0	25C(9.0A)	50C(18.0A)	8,25	UL3123 AWG20	as per order	10,71
84	DP450SP25-1S	450	3,7	4,2	30	48	12,0	25C(11.25)	50C(22.5A)	2,75			3,49
85	DP450SP25-2S	450	7,4	8,5	30	56	28,0	25C(11.25)	50C(22.5A)	5,5	UL3123 AWG20	as per order	7,73
86	DP450SP25-3S	450	11,1	13,0	30	56	40,0	25C(11.25)	50C(22.5A)	8,25	UL3123 AWG20	as per order	11,58
87	DP800SP25-1S	800	3,7	5,5	25	66	18,5	25C(20.0A)	50C(40.0A)	2,75			4,89
88	DP800SP25-2S	800	7,4	12,0	25	74	44,0	25C(20.0A)	50C(40.0A)	5,5	UL3123 AWG16	as per order	10,53
89	DP800SP25-3S	800	11,1	18,5	25	74	63,0	25C(20.0A)	50C(40.0A)	8,25	UL3123 AWG16	as per order	15,74
90	DP1300SP25-1S	1300	3,7	6,0	34	65	34,0	25C(32.5A)	50C(65.0A)	2,75			7,94
91	DP1300SP25-2S	1300	7,4	12,0	34	73	73,0	25C(32.5A)	50C(65.0A)	5,5	UL3123 AWG16	as per order	16,63
92	DP1300SP25-3S	1300	11,1	18,0	34	73	107,0	25C(32.5A)	50C(65.0A)	8,25	UL3123 AWG16	as per order	24,96
93	DP1600SP25-1S	1600	3,7	6,0	34	96	39,0	25C(40.0A)	50C(80.0A)	2,75			9,72
94	DP1600SP25-2S	1600	7,4	12,0	34	104	82,0	25C(40.0A)	50C(80.0A)	5,5	UL3123 AWG14	as per order	20,19
95	DP1600SP25-3S	1600	11,1	18,0	34	104	120,0	25C(40.0A)	50C(80.0A)	8,25	UL3123 AWG14	as per order	30,29
96	DP1800SP25-1S	1800	3,7	6,5	34	96	44,0	25C(45.0A)	50C(90.0A)	2,75			10,93
97	DP1800SP25-2S	1800	7,4	13,0	34	104	95,0	25C(45.0A)	50C(90.0A)	5,5	UL3123 AWG14	as per order	22,57
98	DP1800SP25-3S	1800	11,1	20,0	34	104	140,0	25C(45.0A)	50C(90.0A)	8,25	UL3123 AWG14	as per order	33,87
99	DP2000SP25-1S	2000	3,7	7,0	34	96	49,0	25C(50.0A)	50C(100.0A)	2,75			12,12
100	DP2000SP25-2S	2000	7,4	14,0	34	104	104,0	25C(50.0A)	50C(100.0A)	5,5	UL3123 AWG14	as per order	24,96
101	DP2000SP25-3S	2000	11,1	22,0	34	104	154,0	25C(50.0A)	50C(100.0A)	8,25	UL3123 AWG14	as per order	37,42

102	DP2000SP25-4S	2000	14,8	30,0	34	104	204,0	25C(50.0A)	50C(100.0A)	11	UL3123 AWG14	as per order	49,91
103	DP2200SP25-1S	2200	3,7	8,0	34	96	52,0	25C(55.0A)	50C(110.0A)	2,75			13,29
104	DP2200SP25-2S	2200	7,4	17,0	34	104	114,0	25C(55.0A)	50C(110.0A)	5,5	UL3123 AWG14	as per order	27,33
105	DP2200SP25-3S	2200	11,1	26,0	34	104	168,0	25C(55.0A)	50C(110.0A)	8,25	UL3123 AWG14	as per order	40,99
106	DP2200SP25-4S	2200	14,8	35,0	34	104	222,0	25C(55.0A)	50C(110.0A)	11	UL3123 AWG14	as per order	55,24
107	DP2200SP25-5S	2200	18,5	44,0	34	104	277,0	25C(55.0A)	50C(110.0A)	13,75	UL3123 AWG14	as per order	69,51
108	DP2200SP25-6S	2200	22,2	53,0	34	104	332,0	25C(55.0A)	50C(110.0A)	16,5	UL3123 AWG14	as per order	83,89
109	DP2600SP25-1S	2600	3,7	4,8	45	128	61,0	25C(65.0A)	50C(130.0A)	2,75			19,71
110	DP2600SP25-2S	2600	7,4	11,0	45	136	128,0	25C(65.0A)	50C(130.0A)	5,5	UL3123 AWG12	as per order	40,14
111	DP2600SP25-3S	2600	11,1	17,0	45	136	190,0	25C(65.0A)	50C(130.0A)	8,25	UL3123 AWG12	as per order	60,24
112	DP2600SP25-3S2P	5200	11,1	38,0	45	136	380,0	25C(130.0A)	50C(260.0A)	8,25	UL3123 AWG12	as per order	123,55
113	DP2600SP25-4S	2600	14,8	23,0	45	136	252,0	25C(65.0A)	50C(130.0A)	11	UL3123 AWG12	as per order	80,99
114	DP2600SP25-5S	2600	18,5	29,0	45	136	314,0	25C(65.0A)	50C(130.0A)	13,75	UL3123 AWG12	as per order	101,74
115	DP2600SP25-6S	2600	22,2	35,0	45	136	380,0	25C(65.0A)	50C(130.0A)	16,5	UL3123 AWG12	as per order	123,55
116	DP2600SP25-2S2P	5200	7,4	23,0	45	136	252,0	25C(130.0A)	50C(260.0A)	5,5	UL3123 AWG12	as per order	80,99
117	DP3300SP25-1S	3300	3,7	6,2	43	128	76,0	25C(82.5A)	50C(165.0A)	2,75			26,25
118	DP3300SP25-2S	3300	7,4	13,0	43	136	159,0	25C(82.5A)	50C(165.0A)	5,5	UL3123 AWG12	as per order	53,54
119	DP3300SP25-3S	3300	11,1	20,0	43	136	235,0	25C(82.5A)	50C(165.0A)	8,25	UL3123 AWG12	as per order	80,39
120	DP3300SP25-4S	3300	14,8	27,0	43	136	311,0	25C(82.5A)	50C(165.0A)	11	UL3123 AWG12	as per order	106,88
121	DP3300SP25-5S	3300	18,5	34,0	43	136	388,0	25C(82.5A)	50C(165.0A)	13,75	UL3123 AWG12	as per order	133,13
122	DP3300SP25-6S	3300	22,2	41,0	43	136	465,0	25C(82.5A)	50C(165.0A)	16,5	UL3123 AWG12	as per order	161,65
123	DP3700SP25-1S	3700	3,7	7,2	43	128	86,0	25C(92.5A)	50C(185.0A)	2,75			28,86
124	DP3700SP25-2S	3700	7,4	15,0	43	136	179,0	25C(92.5A)	50C(185.0A)	5,5	UL3123 AWG12	as per order	58,44
125	DP3700SP25-3S	3700	11,1	23,5	43	136	265,0	25C(92.5A)	50C(185.0A)	8,25	UL3123 AWG12	as per order	88,03
126	DP3700SP25-4S	3700	14,8	31,5	43	136	352,0	25C(92.5A)	50C(185.0A)	11	UL3123 AWG12	as per order	117,81
127	DP3700SP25-5S	3700	18,5	39,5	43	136	438,0	25C(92.5A)	50C(185.0A)	13,75	UL3123 AWG12	as per order	147,25
128	DP3700SP25-6S	3700	22,2	47,5	43	136	525,0	25C(92.5A)	50C(185.0A)	16,5	UL3123 AWG12	as per order	177,55

129	DP4200SP25-1S	4200	3,7	8,2	43	128	97,0	25C(105.0A)	50C(210.1A)	2,75			35,91
130	DP4200SP25-2S	4200	7,4	17,0	43	136	202,0	25C(105.0A)	50C(210.1A)	5,5	UL3123 AWG10	as per order	72,79
131	DP4200SP25-3S	4200	11,1	25,5	43	136	299,0	25C(105.0A)	50C(210.1A)	8,25	UL3123 AWG10	as per order	109,26
132	DP4200SP25-4S	4200	14,8	33,5	43	136	396,0	25C(105.0A)	50C(210.1A)	11	UL3123 AWG10	as per order	145,96
133	DP4200SP25-5S	4200	18,5	42,5	43	136	493,0	25C(105.0A)	50C(210.1A)	13,75	UL3123 AWG10	as per order	182,71
134	DP4200SP25-6S	4200	22,2	51,5	43	136	592,0	25C(105.0A)	50C(210.1A)	16,5	UL3123 AWG10	as per order	220,07
135	DP4500SP25-1S	4500	3,7	7,2	43	150	105,0	25C(112.5A)	50C(225.0A)	2,75			38,46
136	DP4500SP25-2S	4500	7,4	15,0	43	168	218,0	25C(112.5A)	50C(225.0A)	5,5	UL3123 AWG10	as per order	77,83
137	DP4500SP25-3S	4500	11,1	23,0	43	168	325,0	25C(112.5A)	50C(225.0A)	8,25	UL3123 AWG10	as per order	116,91
138	DP4500SP25-4S	4500	14,8	31,0	43	168	431,0	25C(112.5A)	50C(225.0A)	11	UL3123 AWG10	as per order	156,09
139	DP4500SP25-5S	4500	18,5	39,0	43	168	538,0	25C(112.5A)	50C(225.0A)	13,75	UL3123 AWG10	as per order	195,41
140	DP4500SP25-6S	4500	22,2	47,0	43	168	645,0	25C(112.5A)	50C(225.0A)	16,5	UL3123 AWG10	as per order	235,99
141	DP5000SP25-1S	5000	3,7	8,0	43	150	118,0	25C(125.0A)	50C(250.0A)	2,75			42,74
142	DP5000SP25-2S	5000	7,4	17,0	43	168	244,0	25C(125.0A)	50C(250.0A)	5,5	UL3123 AWG10	as per order	86,39
143	DP5000SP25-3S	5000	11,1	25,0	43	168	363,0	25C(125.0A)	50C(250.0A)	8,25	UL3123 AWG10	as per order	130,03
144	DP5000SP25-4S	5000	14,8	33,0	43	168	482,0	25C(125.0A)	50C(250.0A)	11	UL3123 AWG10	as per order	173,71
145	DP5000SP25-5S	5000	18,5	41,0	43	168	601,0	25C(125.0A)	50C(250.0A)	13,75	UL3123 AWG10	as per order	217,52
146	DP5000SP25-6S	5000	22,2	49,0	43	168	720,0	25C(125.0A)	50C(250.0A)	16,5	UL3123 AWG10	as per order	261,23
147	DP2200XP30-1S	2200	3,7	7,6	34	102	53,0	30C(66.0A)	55C(121.0A)	2,75			16,04
148	DP2200XP30-2S	2200	7,4	16,0	34	113	116,0	30C(66.0A)	55C(121.0A)	5,5	UL3123 AWG12	as per order	32,83
149	DP2200XP30-3S	2200	11,1	25,0	34	113	171,0	30C(66.0A)	55C(121.0A)	8,25	UL3123 AWG12	as per order	49,11
150	DP2200XP30-4S	2200	14,8	34,0	34	113	227,0	30C(66.0A)	55C(121.0A)	11	UL3123 AWG12	as per order	65,67
151	DP2200XP30-5S	2200	18,5	43,0	34	113	282,0	30C(66.0A)	55C(121.0A)	13,75	UL3123 AWG12	as per order	82,88
152	DP2200XP30-6S	2200	22,2	52,0	34	113	339,0	30C(66.0A)	55C(121.0A)	16,5	UL3123 AWG12	as per order	100,72
153	DP2500XP30-1S	2500	3,7	5,2	44	124	62,0	30C(75.0A)	55C(137.5A)	2,75			21,67
154	DP2500XP30-2S	2500	7,4	11,0	45	134	129,0	30C(75.0A)	55C(137.5A)	5,5	UL3123 AWG12	as per order	44,41
155	DP2500XP30-3S	2500	11,1	17,0	45	134	191,0	30C(75.0A)	55C(137.5A)	8,25	UL3123 AWG12	as per order	66,78



156	DP2500XP30-4S	2500	14,8	23,0	45	134	253,0	30C(75.0A)	55C(137.5A)	11	UL3123 AWG12	as per order	88,76
157	DP2500XP30-5S	2500	18,5	29,0	45	134	315,0	30C(75.0A)	55C(137.5A)	13,75	UL3123 AWG12	as per order	112,85
158	DP2500XP30-6S	2500	22,2	35,0	45	134	377,0	30C(75.0A)	55C(137.5A)	16,5	UL3123 AWG12	as per order	136,71
159	DP2500XP30-2S2P	5000	7,4	23,0	45	134	253,0	30C(180.0A)	55C(275.0A)	5,5	UL3123 AWG12	as per order	88,75
160	DP3300XP30-1S	3300	3,7	6,8	43	135	77,0	30C(99.0A)	55C(181.5A)	2,75			28,35
161	DP3300XP30-2S	3300	7,4	15,0	43	155	160,0	30C(99.0A)	55C(181.5A)	5,5	UL3123 AWG12	as per order	57,62
162	DP3300XP30-3S	3300	11,1	22,5	43	155	238,0	30C(99.0A)	55C(181.5A)	8,25	UL3123 AWG12	as per order	86,81
163	DP3300XP30-4S	3300	14,8	30,0	43	155	316,0	30C(99.0A)	55C(181.5A)	11	UL3123 AWG12	as per order	116,16
164	DP3300XP30-5S	3300	18,5	38,0	43	155	394,0	30C(99.0A)	55C(181.5A)	13,75	UL3123 AWG12	as per order	146,95
165	DP3300XP30-6S	3300	22,2	46,0	43	155	472,0	30C(99.0A)	55C(181.5A)	16,5	UL3123 AWG12	as per order	177,46
166	DP3300XP30-8S(brick)	3300	29,6	60,0	43	155	632,0	30C(99.0A)	55C(181.5A)	22	UL3123 AWG12	as per order	233,67
167	DP3300XP30-8S(stick)	3300	29,6	30,0	43	305	632,0	30C(99.0A)	55C(181.5A)	22	UL3123 AWG12	as per order	233,67
168	DP3300XP30-10S(brick)	3300	37	76,0	43	155	788,0	30C(99.0A)	55C(181.5A)	27	UL3123 AWG12	as per order	296,67
169	DP3300XP30-10S(stick)	3300	37	38,0	43	305	788,0	30C(99.0A)	55C(181.5A)	27	UL3123 AWG12	as per order	296,67
170	DP3700XP30-1S	3700	3,7	7,6	43	135	88,0	30C(111.0A)	55C(203.5A)	2,75			31,74
171	DP3700XP30-2S	3700	7,4	16,0	43	155	182,0	30C(111.0A)	55C(203.5A)	5,5	UL3123 AWG12	as per order	64,57
172	DP3700XP30-3S	3700	11,1	24,5	43	155	271,0	30C(111.0A)	55C(203.5A)	8,25	UL3123 AWG12	as per order	96,84
173	DP3700XP30-4S	3700	14,8	33,0	43	155	360,0	30C(111.0A)	55C(203.5A)	11	UL3123 AWG12	as per order	129,49
174	DP3700XP30-5S	3700	18,5	41,5	43	155	449,0	30C(111.0A)	55C(203.5A)	13,75	UL3123 AWG12	as per order	162,74
175	DP3700XP30-6S	3700	22,2	50,0	43	155	538,0	30C(111.0A)	55C(203.5A)	16,5	UL3123 AWG12	as per order	196,62
176	DP4000XP30-1S	4000	3,7	8,2	43	124	93,0	30C(120.0A)	55C(220.0A)	2,75			34,31
177	DP4000XP30-2S	4000	7,4	17,0	43	135	195,0	30C(120.0A)	55C(220.0A)	5,5	UL3123 AWG12	as per order	69,85
178	DP4000XP30-3S	4000	11,1	26,0	43	135	288,0	30C(120.0A)	55C(220.0A)	8,25	UL3123 AWG12	as per order	104,99
179	DP4000XP30-4S	4000	14,8	35,0	43	135	382,0	30C(120.0A)	55C(220.0A)	11	UL3123 AWG12	as per order	140,02
180	DP4000XP30-5S	4000	18,5	44,0	43	135	476,0	30C(120.0A)	55C(220.0A)	13,75	UL3123 AWG12	as per order	177,53
181	DP4000XP30-6S	4000	22,2	53,0	43	135	570,0	30C(120.0A)	55C(220.0A)	16,5	UL3123 AWG12	as per order	212,69
182	DP4500XP30-1S	4500	3,7	7,6	43	150	110,0	30C(135.0A)	55C(247.5A)	2,75			42,31
183	DP4500XP30-2S	4500	7,4	16,0	43	168	228,0	30C(135.0A)	55C(247.5A)	5,5	UL3123 AWG10	as per order	85,98

184	DP4500XP30-3S	4500	11,1	24,5	43	168	339,0	30C(135.0A)	55C(247.5A)	8,25	UL3123 AWG10	as per order	129,63
185	DP4500XP30-4S	4500	14,8	33,0	43	168	450,0	30C(135.0A)	55C(247.5A)	11	UL3123 AWG10	as per order	173,29
186	DP4500XP30-5S	4500	18,5	41,5	43	168	562,0	30C(135.0A)	55C(247.5A)	13,75	UL3123 AWG10	as per order	216,96
187	DP4500XP30-6S	4500	22,2	50,0	43	168	685,0	30C(135.0A)	55C(247.5A)	16,5	UL3123 AWG10	as per order	260,59
188	DP4500XP30-8S(brick)	4500	29,6	67,0	43	168	905,0	30C(135.0A)	55C(247.5A)	22	UL3123 AWG10	as per order	346,93
189	DP4500XP30-8S(stick)	4500	29,6	33,0	43	330	905,0	30C(135.0A)	55C(247.5A)	22	UL3123 AWG10	as per order	346,93
190	DP4500XP30-10S(brick)	4500	37	83,0	43	168	#####	30C(135.0A)	55C(247.5A)	27,5	UL3123 AWG10	as per order	433,91
191	DP4500XP30-10S(stick)	4500	37	41,5	43	330	#####	30C(135.0A)	55C(247.5A)	27,5	UL3123 AWG10	as per order	433,91
192	DP5000XP30-1S	5000	3,7	8,6	43	150	122,0	30C(150.0A)	55C(275.0A)	2,75			46,99
193	DP5000XP30-2S	5000	7,4	18,0	43	168	256,0	30C(150.0A)	55C(275.0A)	5,5	UL3123 AWG10	as per order	95,35
194	DP5000XP30-3S	5000	11,1	27,5	43	168	384,0	30C(150.0A)	55C(275.0A)	8,25	UL3123 AWG10	as per order	143,71
195	DP5000XP30-4S	5000	14,8	37,0	43	168	508,0	30C(150.0A)	55C(275.0A)	11	UL3123 AWG10	as per order	192,07
196	DP5000XP30-5S	5000	18,5	46,5	43	168	635,0	30C(150.0A)	55C(275.0A)	13,75	UL3123 AWG10	as per order	240,42
197	DP5000XP30-6S	5000	22,2	56,0	43	168	758,0	30C(150.0A)	55C(275.0A)	16,5	UL3123 AWG10	as per order	288,78
198	DP5000XP30-8S(brick)	5000	29,6	74,0	43	168	#####	30C(150.0A)	55C(275.0A)	22	UL3123 AWG10	as per order	384,15
199	DP5000XP30-8S(stick)	5000	29,6	37,0	43	330	#####	30C(150.0A)	55C(275.0A)	22	UL3123 AWG10	as per order	384,15
200	DP5000XP30-10S(brick)	5000	37	94,0	43	168	#####	30C(150.0A)	55C(275.0A)	27,5	UL3123 AWG10	as per order	480,85
201	DP5000XP30-10S(stick)	5000	37	46,5	43	330	#####	30C(150.0A)	55C(275.0A)	27,5	UL3123 AWG10	as per order	480,85
202	DP5000XP30-12S(brick)	5000	44,4	112,0	43	168	#####	30C(150.0A)	55C(275.0A)	33	UL3123 AWG10	as per order	578,85
203	DP5000XP30-12S(stick)	5000	44,4	56,0	43	320	#####	30C(150.0A)	55C(275.0A)	33	UL3123 AWG10	as per order	578,85
204	DP1300XP33-1S	1300	3,7	6,6	34	80	33,0	33C(42.9A)	60C(78.0A)	2,75			10,93
205	DP1300XP33-2S	1300	7,4	14,0	34	88	72,0	33C(42.9A)	60C(78.0A)	5,5	UL3123 AWG16	as per order	22,95
206	DP1300XP33-3S	1300	11,1	21,5	34	88	106,0	33C(42.9A)	60C(78.0A)	8,25	UL3123 AWG16	as per order	34,45
207	DP1600XP33-1S	1600	3,7	6,6	34	102	39,5	33C(52.8A)	60C(96.0A)	2,75			13,45
208	DP1600XP33-2S	1600	7,4	14,0	34	113	86,0	33C(52.8A)	60C(96.0A)	5,5	UL3123 AWG16	as per order	27,99
209	DP1600XP33-3S	1600	11,1	21,5	34	113	126,0	33C(52.8A)	60C(96.0A)	8,25	UL3123 AWG16	as per order	42,06
210	DP2200XP33-1S	2200	3,7	8,2	34	102	54,5	33C(72.6A)	60C(132.0A)	2,75			18,49
211	DP2200XP33-2S	2200	7,4	18,0	34	113	117,0	33C(72.6A)	60C(132.0A)	5,5	UL3123 AWG12	as per order	37,84



212	DP2200XP33-3S	2200	11,1	27,0	34	113	172,0	33C(72.6A)	60C(132.0A)	8,25	UL3123 AWG12	as per order	57,05	
213	DP2200XP33-4S	2200	14,8	36,0	34	113	228,0	33C(72.6A)	60C(132.0A)	11	UL3123 AWG12	as per order	76,68	
214	DP2200XP33-5S	2200	18,5	45,5	34	113	284,0	33C(72.6A)	60C(132.0A)	13,75	UL3123 AWG12	as per order	95,52	
215	DP2200XP33-6S	2200	22,2	55,0	34	113	339,0	33C(72.6A)	60C(132.0A)	16,5	UL3123 AWG12	as per order	117,09	
216	DP3200XP33-1S	3200	3,7	7,2	43	135	79,0	33C(105.6A)	60C(192.0A)	2,75			31,19	
217	DP3200XP33-2S	3200	7,4	15,0	43	155	166,0	33C(105.6A)	60C(192.0A)	5,5	UL3123 AWG10	as per order	63,63	
218	DP3200XP33-3S	3200	11,1	23,0	43	155	246,0	33C(105.6A)	60C(192.0A)	8,25	UL3123 AWG10	as per order	96,12	
219	DP3200XP33-4S	3200	14,8	31,0	43	155	326,0	33C(105.6A)	60C(192.0A)	11	UL3123 AWG10	as per order	128,65	
220	DP3200XP33-5S	3200	18,5	39,0	43	155	406,0	33C(105.6A)	60C(192.0A)	13,75	UL3123 AWG10	as per order	161,15	
221	DP3200XP33-6S	3200	22,2	47,0	43	155	486,0	33C(105.6A)	60C(192.0A)	16,5	UL3123 AWG10	as per order	193,65	
222	DP3700XP33-1S	3700	3,7	8,2	43	135	93,0	33C(122.1A)	60C(222.0A)	2,75			35,76	
223	DP3700XP33-2S	3700	7,4	17,0	43	155	195,0	33C(122.1A)	60C(222.0A)	5,5	UL3123 AWG10	as per order	72,87	
224	DP3700XP33-3S	3700	11,1	26,0	43	155	289,0	33C(122.1A)	60C(222.0A)	8,25	UL3123 AWG10	as per order	109,97	
225	DP3700XP33-4S	3700	14,8	35,0	43	155	383,0	33C(122.1A)	60C(222.0A)	11	UL3123 AWG10	as per order	147,08	
226	DP3700XP33-5S	3700	18,5	44,0	43	155	477,0	33C(122.1A)	60C(222.0A)	13,75	UL3123 AWG10	as per order	184,21	
227	DP3700XP33-6S	3700	22,2	53,0	43	155	572,0	33C(122.1A)	60C(222.0A)	16,5	UL3123 AWG10	as per order	221,31	
228	DP4500XP33-1S	4500	3,7	8,2	43	150	112,0	33C(148.5A)	60C(270.0A)	2,75			48,65	
229	DP4500XP33-2S	4500	7,4	17,0	43	168	232,0	33C(148.5A)	60C(270.0A)	5,5	UL3123 AWG10	as per order	98,67	
230	DP4500XP33-3S	4500	11,1	26,0	43	168	345,0	33C(148.5A)	60C(270.0A)	8,25	UL3123 AWG10	as per order	148,67	
231	DP4500XP33-4S	4500	14,8	35,0	43	168	458,0	33C(148.5A)	60C(270.0A)	11	UL3123 AWG10	as per order	198,71	
232	DP4500XP33-5S	4500	18,5	44,0	43	168	571,0	33C(148.5A)	60C(270.0A)	13,75	UL3123 AWG10	as per order	248,68	
233	DP4500XP33-6S	4500	22,2	53,0	43	168	685,0	33C(148.5A)	60C(270.0A)	16,5	UL3123 AWG10	as per order	298,78	
	<b>Transmitter/Receiver packs</b>													
1	DP2500LP3-2S (A)	2500	7,4	17,0	30	96	103,0	3C(7.5A)	8C(20.0A)	5,5	UL3123 AWG22	as per order	17,45	
2	DP2500LP3-3S (A)	2500	11,1	25,0	30	96	152,0	3C(7.5A)	8C(20.0A)	8,25	UL3123 AWG22	as per order	26,11	
3	DP2500LP3-2S (B)	2500	7,4	11,0	46	110	104,0	3C(7.5A)	8C(20.0A)	5,5	UL3123 AWG22	as per order	17,11	
4	DP2500LP3-3S (B)	2500	11,1	16,0	46	110	153,0	3C(7.5A)	8C(20.0A)	8,25	UL3123 AWG22	as per order	25,56	

- 1) Capacities are measured at: Charge: 0.5C, 4.2V, 3.5 hours max or 0.02C cut-off; Discharge: 0.2C to 2.75V at 25 C degrees.
- 2) Customized designs are available upon requests.
- 3) The information here are descriptive only and may be changed without prior notice. For detailed specification, please contact DESIRE Power C

**Terms: FOB Hong Kong**

**Payment: TT 50% for deposit, TT balance before shipment, PayPal for small amount under EUR200.00**

**Delivery: Within 10-25days.**

**MOQ: 200-500packs for OEM, No limitation with Desire Power logo**